

# A HISTORY OF CORRUPTION



## How Kenosha PD KILLED Michael Bell

Michael M. Bell



October 30, 2021

Governor Tony Evers  
Wisconsin State Capitol  
Madison, WI

Dear Governor Evers,

I am providing you a powerful point-by-point summary showing that the Wisconsin Department of Justice is complacent in investigating a Kenosha police officer execution (gun placed directly to 21-year-old Michael Bell's temple) and the subsequent cover-up.

This is the same type of complacency that the SEC demonstrated in the Bernie Madoff Ponzi scheme and the US Gymnastics Association demonstrated with complaints reported against Dr. Larry Nassar.

As per guidance published by the Wisconsin Department of Justice, I am filing this complaint for agency misconduct with our Governor. It concerns Attorney General Josh Kaul and the Wisconsin Department of Justice.

The complaint alleges:

1. A crime lab DNA analyst provided fallacious DNA findings to a prosecutor in JOHN DOE proceedings in a police shooting.
2. After 10 documented attempts (which includes requests by legislators), AG Kaul refuses to meet or acknowledge Michael M. Bell regarding newly developed evidence in a police shooting. (See Oct. 2021 FBI point-by-point summary attached)
3. Due to AG neglect, two DOJ investigations remain open years later. (KPD officer planted a bullet and drivers license at the homicide scene and two Kenosha City officials gaining illegal access into police files and the destruction of digital public records)

This complaint details the "totally unacceptable" behavior by Attorney General Josh Kaul and his agency. The 706-page complaint is provided in the attached memory drive.

Respectfully,

Michael M. Bell  
Lt. Colonel, USAF, retired








**Attorney General Josh Kaul**



**Governor Tony Evers**

- Investigation was completed in just two days. Department found its shooting justified.
- Officers testified under oath that PO Gonzales was on the left of Michael and shot Michael in the left side of his head. This remained the KPD position until they discovered otherwise at the 4/30/2007 video depositions that the ME concluded Michael was shot in the right side of his head.
- After the first set of depositions, the KPD developed a new shooting scenario to attempt to explain the contrary evidence.
- The KPD changed the story to state that Michael's body and head were twisted in an awkward position so the right side of Michael's head was presented to Gonzales, who still claimed to be on Michael's left.
- The county's forensic pathologist concluded that the officer's reenacted account of the shooting was "FORENSICALLY IMPOSSIBLE" and could not have occurred as the officers claim.
- Wisconsin Attorney General Brad Schimel wrote the following in a public statement December 2017: "...it is very likely that the officer was mistaken in his belief that Michael Bell was trying to take his gun." And "...that the officers at best were mistaken of the facts. At worst they lied."
- The KPD hired a prominent 3D animator to create an animation of this new scenario. The KPD concealed the existence of this 3D animator. His existence was discovered years later by the Bell investigative team.
- To assist the 3D animator in his work, the KPD conducted a reenactment of their new shooting scenario. This reenactment was held in an empty warehouse. The KPD provided one video of reenactment to Bell's civil attorneys.
- The animator could not successfully create an animation because the new version was anatomically impossible to depict the human movement of the new account. The KPD fired him and concealed his work.
- PO Strausbaugh testified that Michael attempted to disarm him and there was a fierce life and death struggle over his service weapon. Yet none of Michael's DNA was found on Strausbaugh's handgun.
- Through open records request, KPD failed to release an autopsy photo showing two cuts on Michael's right hand. Photo was discovered by a records request to the Kenosha County Medical Examiner.
- Academic research confirms that the likelihood of shedding DNA with open or healing flesh wounds is near 100%.
- KPD claims it does not possess the original native dash cam recording.
- Bell believes he has obtained an original native copy of a dash cam recording from his attorney.
- KPD claims that it does not have the software necessary to play the native dash cam video.
- At the end of an AVI version that the KPD provided, an officer says "Gonzo, Gonzo shot him." Another officer asks, "What happened?" The video ends.
- On 10/17/19, a video recorded scan of the garage face was conducted and the suspected bullet impact location was discovered at a location camouflaged by its height and a parked car's proximity.
- In a controlled test by one of the nation's leading ballistics experts, the element lead was found in the cavity. No other lead was found at multiple test locations of flashing material.
- After 17 years, the KPD refuses to release the slug for additional evaluation.
- In September 2021, Mr. Bell's attorney filed an action seeking a court order requiring the KPD to release the bullet slug to a ballistics expert.
- Crime scene photos show fired bullet slug final rest in two separate locations.
- Gonzales answered that he "did not know" or "did not remember" many times during his testimony. Years later, he published a book in which he describes the shooting in detail.



To see the entire 96 item point-by-point summary...visit [www.MichaelBell.info](http://www.MichaelBell.info) or FB Plea for a Change, the Michael Bell shooting.